

ADHESIVES GUIDE 2025



ADHESIVES GUIDE 2025

The 2025 Flooring Adhesives Guide aims to streamline the process of selecting the appropriate adhesive for your flooring installation. Choosing the correct flooring adhesive is critical to ensuring the longevity, durability, aesthetic appeal, and safety of the installation, while also ensuring compliance with warranty requirements and building regulations.

The Australian flooring adhesives market is experiencing notable developments, driven by several key factors:

Technological Advancements

There is a growing emphasis on technological innovations within the flooring adhesives sector. Advancements include the development of smart adhesives that respond to environmental changes and the introduction of customised adhesive solutions tailored to specific flooring materials and applications. Additionally, the industry is witnessing a shift towards recycled and circular economy practices, promoting sustainability in adhesive production and application.

Sustainability and Environmental Considerations

The market is increasingly prioritising green building practices and the adoption of eco-friendly adhesives. This trend aligns with global environmental regulations and the growing consumer demand for sustainable products. Manufacturers are focusing on developing low-

VOC (volatile organic compounds) and VOC-free adhesives to enhance indoor air quality and meet stringent environmental standards.

Consumer Trends

There is a noticeable shift towards DIY flooring installations, leading to a demand for user friendly and easy-to-apply adhesive solutions. This trend is influencing product development, with manufacturers creating adhesives that are both effective and accessible to non-professional users.

Market Dynamics

The adhesives market is influenced by factors such as increasing construction activities, a growing demand for various flooring materials like wood, tile, and vinyl, and the need for high-performance, long-lasting adhesives. These dynamics are contributing to the market's robust growth and the continuous evolution of adhesive technologies.

The Australian flooring adhesives market is evolving with a strong focus on technological innovation, sustainability, and consumer-centric product development, positioning it for continued growth and adaptation to emerging industry trends.

This year's Flooring Adhesives Guide presents the most recent installer-friendly products, enhanced formulations, and the leading eco-friendly adhesives currently available in the market.



CONTENTS

CARPETS	24
CARPET TILES	24
CONCRETE	24
ENGINEERED BOARDS	24
ENTRANCE MATTING	24
LAMINATES	24
LINOLEUM ADHESIVE	24
RUBBER	24
STAIR NOSING	25
VINYL PLANKS	25
VINYL SHEET	25
VINYL TILES	25
WOOD/HARDWOOD	25

ADHESIVES DIRECTORY 2025

CARPETS

PRODUCT	CODE	STOCKIST
Capitol Carpet Adhesive 15LT	CA150-15	Australian Flooring Supplies
Polymer Engineering Carpet Adhesive	900510	RLA Polymer Engineering
RLA Carpet Adhesive	900160	RLA Polymers Pty Ltd
Roberts 100 Carpet Adhesive	R100-15	RLA Polymers Pty Ltd
Roberts 85 Fast Tack Carpet Adhesive	R85-15	RLA Polymers Pty Ltd
Roberts 95 Carpet Adhesive	R95-15	RLA Polymers Pty Ltd
Roberts R95 High Tack Carpet Adhesive	95-15	Australian Flooring Supplies
SikaBond Carpet Adhesive	S200-15	Australian Flooring Supplies

CARPET TILES

PRODUCT	CODE	STOCKIST
Capitol Pressure Sensitive Adhesive 15LT	PS150-15	Australian Flooring Supplies
Forbo FPS1 Pressure Sensitive Adhesive	FP51	Forbo Flooring Systems Australia
Polymer Engineering Pressure Sensitive Adhesive	900520	RLA Polymer Engineering
RLA 999 Pressure Sensitive Adhesive	999-15	Australian Flooring Supplies
RLA 999 Pressure Sensitive Adhesive	900110	RLA Polymers Pty Ltd
RLA Carpet Tile PS Adhesive	900150	RLA Polymers Pty Ltd
Roberts 444 Pressure Sensitive Adhesive	GS444-15	Australian Flooring Supplies
Roberts 444 Pressure Sensitive Adhesive	R444-15	RLA Polymers Pty Ltd
Roberts 640 HS Pressure Sensitive Adhesive	R640-15	RLA Polymers Pty Ltd
Roberts 656 Pressure Sensitive Adhesive	R656-15	RLA Polymers Pty Ltd
SikaBond Pressure Sensitive Adhesive	S201-15	Australian Flooring Supplies

CONCRETE

PRODUCT	CODE	STOCKIST
RLA WPM Moisture Seal Barrier	14455	RLA Polymers Pty Ltd
Roberts 420 Medi Seal	RMS-15	RLA Polymers Pty Ltd
Roberts Universal Primer	R48-5	RLA Polymers Pty Ltd

ENGINEERED BOARDS

PRODUCT	CODE	STOCKIST
Polymer Engineering - TFA	620690	RLA Polymer Engineering
Polymer Engineering - TFA X3	900580	RLA Polymer Engineering
RLA 1018 Polyurethane Adhesive - 310ml	RL1018-310ml	RLA Polymers Pty Ltd
RLA SMP Timber Flooring Adhesive	620653	RLA Polymers Pty Ltd
RLA SMP X3 Timber Flooring Adhesive	900581	RLA Polymers Pty Ltd

ENTRANCE MATTING

PRODUCT	CODE	STOCKIST
Forbo F54 Vinyl Sheet & Flocked Flooring Adhesive	F54	Forbo Flooring Systems Australia

LAMINATES

PRODUCT	CODE	STOCKIST
Roberts 6355 Cross Linking PWA Adhesive	R6355-5	RLA Polymers Pty Ltd

LINOLEUM ADHESIVE

PRODUCT	CODE	STOCKIST
611 Ultimate Lino Plus	611	Forbo Flooring Systems Australia
615 Eurostar Lino Plus EL	615	Forbo Flooring Systems Australia
Capitol Vinyl Adhesive 15LT	V150-15	Australian Flooring Supplies
Polymer Engineering - Universal Flooring Adhesive	900540	RLA Polymer Engineering
RLA 265 Universal Adhesive	265-15	Australian Flooring Supplies
RLA Universal Resilient Adhesive	900130	RLA Polymers Pty Ltd
Roberts 2000 Universal Flooring Adhesive	R2000-15	RLA Polymers Pty Ltd
Roberts R2000 Universal Flooring Adhesive	R2000-15	Australian Flooring Supplies
Roberts R280HT Vinyl Adhesive	280-15	Australian Flooring Supplies
SikaBond Universal Vinyl Adhesive	S203-15	Australian Flooring Supplies

RUBBER

PRODUCT	CODE	STOCKIST
Polymer Engineering Universal Flooring Adhesive	900540	RLA Polymer Engineering
RLA SMP Resilient Flooring Adhesive	RL1000-10	RLA Polymers Pty Ltd
RLA Universal Resilient Adhesive	900130	RLA Polymers Pty Ltd
Roberts 2000 Universal Flooring Adhesive	R2000-15	RLA Polymers Pty Ltd
Roberts 555 Polyurethane Adhesive	R555-5	RLA Polymers Pty Ltd
Roberts R2000 Universal Flooring Adhesive	R2000-15	Australian Flooring Supplies

STAIR NOSING

PRODUCT	CODE	STOCKIST
Capitol Brush Contact	BC150-20	Australian Flooring Supplies
RLA Brushable Contact	900210-20	Australian Flooring Supplies

ADHESIVES DIRECTORY 2025

VINYL PLANKS

PRODUCT	CODE	STOCKIST
Capitol Hard Set Vinyl Adhesive 15LT	CHSV-15	Australian Flooring Supplies
Forbo F34 Permanent Bond Modular Vinyl Tile & Plank Adhesive	F34	Forbo Flooring Systems Australia
Polymer Engineering - Hard Set Plank Adhesive	900530	RLA Polymer Engineering
Polymer Engineering - High Temp Plank Adhesive	900560	RLA Polymer Engineering
Polymer Engineering - Universal Flooring Adhesive	900540	RLA Polymer Engineering
RLA 265 Vinyl Adhesive	900100	RLA Polymers Pty Ltd
RLA Universal Resilient Adhesive	900130	RLA Polymers Pty Ltd
RLA Vinyl Plank Adhesive	900120	RLA Polymers Pty Ltd
Roberts 200 Vinyl Adhesive	R200-15	RLA Polymers Pty Ltd
Roberts 2000 Universal Flooring Adhesive	R2000-15	RLA Polymers Pty Ltd
Roberts 280 HT Vinyl Plank Adhesive	R280-15	RLA Polymers Pty Ltd
Roberts R2000 Universal Flooring Adhesive	R2000-15	Australian Flooring Supplies
Roberts R280HT Vinyl Adhesive	280-15	Australian Flooring Supplies
SikaBond 150 Premium Floor	S150-14	Australian Flooring Supplies

VINYL SHEETS

PRODUCT	CODE	STOCKIST
Capitol Vinyl Adhesive 15LT	V150-15	Australian Flooring Supplies
Eurostar Special EL Conductive Vinyl Adhesive	641	Forbo Flooring Systems Australia
Forbo F54 Vinyl Sheet & Flocked Flooring Adhesive	F54	Forbo Flooring Systems Australia
Polymer Engineering - Universal Flooring Adhesive	900540	RLA Polymer Engineering
Polymer Engineering - Vinyl Sheet Adhesive	900550	RLA Polymer Engineering
RLA 265 Vinyl Adhesive	900100	RLA Polymers Pty Ltd
RLA Universal Resilient Adhesive	900130	RLA Polymers Pty Ltd
Roberts 200 Vinyl Adhesive	R200-15	RLA Polymers Pty Ltd
Roberts 2000 Universal Flooring Adhesive	R2000-15	RLA Polymers Pty Ltd
Roberts Conductive Vinyl Adhesive	R18-10	RLA Polymers Pty Ltd
Roberts R2000 Universal Flooring Adhesive	R2000-15	Australian Flooring Supplies
SikaBond Universal Vinyl Adhesive	S203-15	Australian Flooring Supplies

VINYL TILES

PRODUCT	CODE	STOCKIST
Capitol Pressure Sensitive Adhesive	PS150-15	Australian Flooring Supplies
Forbo F34 Permanent Bond Modular Vinyl Tile & Plank Adhesive	F34	Forbo Flooring Systems Australia
Polymer Engineering - High Temp Plank Adhesive	900560	RLA Polymer Engineering
Polymer Engineering - Universal Flooring Adhesive	900540	RLA Polymer Engineering
RLA 999 Pressure Sensitive Adhesive	999-15	Australian Flooring Supplies
RLA 999 Pressure Sensitive Adhesive	900110	RLA Polymers Pty Ltd
RLA Universal Resilient Adhesive	900130	RLA Polymers Pty Ltd
Roberts Pressure Sensitive Adhesive	656-15	Australian Flooring Supplies
Roberts 2000 Universal Flooring Adhesive	R2000-15	RLA Polymers Pty Ltd
Roberts 280 HT Vinyl Plank Adhesive	R280-15	RLA Polymers Pty Ltd
Roberts 656 Pressure Sensitive Adhesive	R656-15	RLA Polymers Pty Ltd
SikaBond Pressure Sensitive Adhesive	S201-15	Australian Flooring Supplies

WOOD/HARDWOOD

PRODUCT	CODE	STOCKIST
Polymer Engineering - TFA	620690	RLA Polymer Engineering
Polymer Engineering - TFA X3	900580	RLA Polymer Engineering
RLA 1018 Polyurethane Adhesive - 310ml	RL1018-310ml	RLA Polymers Pty Ltd
RLA SMP Timber Flooring Adhesive	620653	RLA Polymers Pty Ltd
RLA SMP X3 Timber Flooring Adhesive	900581	RLA Polymers Pty Ltd
RLA Tru- Grip	900270	RLA Polymers Pty Ltd
SikaBond T-55J Timber Flooring Adhesive	ST55J-16	Australian Flooring Supplies



Australian Flooring Supplies

CAPITOL CARPET ADHESIVE 15LT CA150-15

A low VOC water-based carpet adhesive developed for bonding a wide range of carpets and underlays. CA-150 is suitable for bonding both jute and polypropylene backed carpets in direct stick and double bond type installations. The adhesive has prolonged re-bond time and has low VOC emission levels that conforms to the Green Star building requirements.



ROBERTS R95 HIGH TACK CARPET ADHESIVE 95-15

A water-based formula that forms a strong tacky film to prevent carpet movement. Suitable for Double Bond and Direct Stick applications, it bonds slab underlay to subfloors and carpets to underlay. Ideal for Action, Hessian, tufted, and most woven back carpets. Adheres dual bond underlay to concrete and timber floors. With quick grab, shorter working time, and excellent re-bonding, it's ideal for hard-to-hold carpets and smaller installations.



CAPITOL PRESSURE SENSITIVE ADHESIVE 15LT PS150-15

A solvent free pressure sensitive adhesive formulated for installing PVC backed, fibre backed, and cushion backed carpet tiles and reinforced vinyl composition tiles. It is also highly recommended for installing laminated slab underlays used in Double-Bond carpet installation. Capitol Pressure Sensitive Adhesive can be applied to concrete substrates with moisture contents up to 85% relative humidity tested with the In-Situ probe method.



ROBERTS R656 PRESSURE SENSITIVE CARPET TILE ADHESIVE 656-15

A solvent free and low odour pressure sensitive adhesive. It is specially formulated for installing PVC backed and fibre backed carpet tiles and reinforced vinyl composition tiles. It is also highly recommended for installing laminated slab underlays used in Double-Bond carpet installation.



- Solvent free
- Low odour
- Can be trowelled or rolled

CAPITOL VINYL ADHESIVE 15LT VI150-15

A water-based multipurpose adhesive suitable for installation of dimensional stable PVC flooring - including LVT, LVP, Linoleum and sanded back sheet rubber flooring up to 4mm thick, it is also suitable for bonding textile floor coverings with all common backings. This high-performance Adhesive has a good all-round balance between open time and work time, it can be used in wet mode for LVP or semi-wet mode for sheet vinyl floor coverings.



ROBERTS R280 HT VINYL PLANK & TILE ADHESIVE 280-15

A high-temperature, hard set acrylic polymer adhesive with a short open time, strong adhesion, and shear resistance. Fibre-reinforced and plasticiser-resistant, it withstands temperature changes, wet cleaning, and underfloor heating. Ideal for PVC vinyl flooring in sun-exposed areas like bay windows and glass shopfronts.



- Installer friendly
- Hard set

CAPITOL HS VINYL ADHESIVE 15LT CHSV-15

A water-based hard set adhesive suitable for installation of dimensional stable PVC flooring - including LVT, LVP, Linoleum and sanded back sheet rubber flooring up to 4mm thick, it is also suitable for bonding textile floor coverings with all common backings. This high-performance Adhesive has a good all-round balance between open time and work time.



ROBERTS R2000 UNIVERSAL ADHESIVE R2000-15

A hard set acrylic co-polymer adhesive with strong initial tack for PVC vinyl and textile floorcoverings. Can be applied wet/semi wet offering extended open time, plasticiser resistance, and non-staining properties. Suitable for interiors, it withstands wet cleaning and underfloor heating, ensuring a durable, reliable bond. Solvent free, Green Star compliant, very low VOC & anti-microbial formula.





PERFORMANCE. QUALITY. PRIDE.

CAPITOL FLOORING INSTALLATION SOLUTIONS ARE AVAILABLE AT AUSTRALIAN FLOORING SUPPLIES














- Installer friendly products
- New & improved formulas
- Superior spread rates
- Developed & manufactured in Australia
- Highly competitive prices

DISTRIBUTED BY



1300 737 155
australianflooringsupplies.com.au
afscustomerservice@capaust.com.au

F.Ball

STOPGAP F77 - HIGH-PERFORMANCE ACCELERATED WATERPROOF SURFACE MEMBRANE

Stopgap F77 One Coat Application System is a solvent free 2-part epoxy resin which cures to provide a waterproof surface membrane. It impedes the passage of residual construction moisture & rising damp from affecting subsequent floorcovering installations, allowing early installation of floorcoverings in fast-track building programmes.



STOPGAP 1500 - HIGH PERFORMANCE, WATER-MIX SMOOTHING COMPOUND

Stopgap 1500 is a fast setting, fast drying, water-mix smoothing compound suitable for preparing sound internal subfloors prior to the installation of new floorcoverings. It can be applied directly over old adhesive residues such as bitumen and carpet tile tackifiers without the need for priming. Approved for use in marine applications.



STOPGAP P131 - GENERAL PURPOSE PRIMER

Stopgap P131 is a primer designed to promote the adhesion of Stopgap smoothing compounds to smooth, non-absorbent surfaces. It can also be used as a general-purpose primer for absorbent surfaces to promote adhesion and to prevent unacceptably rapid drying of adhesives and smoothing compounds. It is suitable for use in marine applications as part of an IMO system.



STOPGAP 500 - FLOOR FINISHING COMPOUND

Stopgap 500 is a rapid drying floor finishing compound providing a smooth surface to plywood, existing floor smoothing compounds, sand/cement screeds, calcium sulphate screeds and other rigid dry absorbent surfaces, prior to the installation of floorcoverings. Can be applied to form a feathered edge finish.



STOPGAP RED BAG - FLOOR SMOOTHING COMPOUND

Stopgap Red Bag is a self-smoothing, water-mix smoothing compound suitable for use in light to medium-duty internal applications for preparing sound absorbent subfloors prior to the installation of new floorcoverings. The product is designed for application between 3 - 15mm. It is also protein-free which allows it to be used in biologically sensitive areas.



STYCCOBOND F58 PLUS - FIBRE-REINFORCED VINYL AND RUBBER FLOORCOVERING ADHESIVE

Styccobond F58 PLUS is a fast-drying, fibre-reinforced adhesive that can be used as a wet lay, semi-wet or pressure sensitive adhesive for securing vinyl and rubber floorcoverings. The product is designed to give a high bond strength and strong initial tack. It is solvent free, protected against biodegradation and is suitable for use over normal underfloor heating installations. Approved for use in marine applications.



STOPGAP 1600 - FIBRE-REINFORCED SMOOTHING COMPOUND

Stopgap 1600 is a fibre-reinforced smoothing compound designed for new or existing internal floor refurbishments in both domestic and commercial environments, prior to the installation of new floorcoverings. The product is also suitable for use over both electrical wired and water-fed underfloor heating and cooling systems. It is dimensionally stable and is supplied as a pre-blended dry powder, which is designed for application between 3 - 40mm in one application.



STYCCOBOND F44 - VINYL FLOORING ADHESIVE

Styccobond F44 is a solvent free acrylic emulsion adhesive for the installation of vinyl floorcoverings. It is designed to give a high bond strength, strong initial tack and a long open time. It is protected against biodegradation and is suitable for use over normal underfloor heating installations. Approved for use in marine applications.



MADE IN GREAT BRITAIN



F. Ball and Co. Ltd.

FLOORING INSTALLATION PRODUCTS WORTH GETTING STUCK ON.

With generations of expertise behind every product, F. Ball are the UK's leading manufacturer of high performance subfloor preparation products and flooring adhesives - now available in Australia.



Scan the QR code to find out more, or www.f-ball.com

A Great Finish Starts with F. Ball

Forbo Flooring Systems Australia

611 ULTIMATE LINO PLUS

Linoleum Adhesive - A Very low VOC emission linoleum adhesive. Recognised for having the best initial grab in the market with great working time for the installation of linoleum in sheet and tiles, as well as linoleum aquajet designs, borders and cork underlay. It is resilient against roller and caster chairs ensuring long-lasting performance. This was previously the 614 Eurostar Lino Plus.



FORBO FPS1

Pressure Sensitive Adhesive - A water-based, pressure-sensitive adhesive with low VOC emissions, anti-microbial properties and plasticizer resistance. Designed for Forbo Tessera carpet tiles and planks, Coral entrance flooring along with Flotex tiles and planks for domestic and commercial applications - Australian made.



641 EUROSTAR SPECIAL EL

Conductive Vinyl Adhesive - A special and superior acrylic dispersion adhesive for conductive vinyl sheets and tiles with very low emissions and high initial adhesion strength, featuring an electrical resistance of < 3.105 Ohms in accordance with EN 13415. Recommended for use as part of a full conductive system with copper tape.



FORBO F34

Permanent Bond Modular Vinyl Tile & Planks Adhesive - Australian made high-performing polymer blend adhesive for modular vinyl tiles and planks, offering a permanent bond. This adhesive is not only low in VOC emissions but also offers excellent resistance to plasticizers and is suitable for use on absorbent subfloor.



615 EUROSTAR LINO PLUS EL

Conductive Linoleum Adhesive - A special superior acrylic dispersion adhesive for conductive linoleum with very low emissions and high initial grab, featuring an electrical resistance of < 3.105 Ohm in accordance with EN 13415. Recommended for use as part of a full conductive system with copper tape.



FORBO F54

Vinyl Sheet & Flocked Flooring Adhesive - This superior dispersion polymer blend adhesive has low VOC and is designed for the installation of commercial and domestic vinyl and Flotex sheet flooring. It is suitable for both compact and cushioned backed sheet flooring, providing a strong and permanent bond - Australian made.



FLOORING SYSTEMS

1800 224 471

www.forbo-flooring.com.au

eternal®


New design vinyl flooring

Unmatched quality meets timeless design. Eternal Design vinyl flooring offers lasting elegance with a durable, compact heterogeneous construction, perfect for high-traffic environments.

Choose from 85 colours and patterns across Wood, Material, and Colour collections. Available in various finishes for both aesthetics and performance.

Selected designs are also available in Eternal Next, our new adhesive-free Fast Flooring solution, designed for easy installation, uplift, and recycling at the end of its life.

www.forbo-flooring.com.au



creating better environments



FLOORING SYSTEMS

Polymer Engineering

COMMERCIAL CARPET ADHESIVE

CCA is a water-based carpet adhesive providing a strong tacky film of adhesive that is suitable for bonding carpets both Double Bond and Direct Stick installations. The adhesive offers a quick grab and has sufficient working time for smaller and larger installations. The adhesive tacks up quickly and has excellent re-bonding for hard to hold carpets.



VINYL SHEET ADHESIVE

VSA is a water based acrylic emulsion with excellent plasticiser resistance and nonstaining properties. It is protected against bio-degradation, withstands normal wet cleaning practices and is suitable for use over underfloor heating installations.



PS CARPET TILE ADHESIVE

CTA is a solvent free pressure sensitive adhesive formulated for installing PVC backed and modified composite backed Carpet Tiles. CTA can be applied to concrete substrates with moisture contents up to 85% relative humidity tested by way of in-Situ Probe method and concrete substrates with pH readings of up to 10.0.



TEMPERATURE RESISTANT PLANK ADHESIVE

TRP is an acrylic polymer, high temperature hard set adhesive with a short open time and excellent adhesion. It is fibre-reinforced and highly shear-resistant with excellent plasticiser migration resistance, non staining properties and provides resistance to temperature variations.



HARD SET PLANK ADHESIVE

HPA is a solvent free, low odour, low VOC water based acrylic emulsion with excellent plasticiser resistance and non staining properties. It is protected against bio-degradation, withstands normal wet cleaning practices and is suitable for use over underfloor heating.



MS TIMBER FLOORING ADHESIVE

TFA is a permanently flexible solvent and isocyanate free Timber Flooring Adhesive. For bonding approved acoustic underlays to most common subfloors. TFA is also recommended for bonding solid timber flooring, Parquet flooring and engineered timber flooring to approved acoustic underlay as well as directly to most common subfloors.



UNIVERSAL FLOORING ADHESIVE

UFA is an acrylic co-polymer hard set adhesive with strong initial tack and bond strength qualities for a range of PVC vinyl, rubber, linoleum and textile floorcoverings. It has excellent plasticiser resistance and non staining properties. It is for interior use only and is protected against bio-degradation, withstands normal wet cleaning practices and is suitable for use over underfloor heating installations.



X3 SMP TIMBER FLOORING ADHESIVE

TFA X3 SMP Timber Flooring Adhesive is a single-part, permanently flexible isocyanate free SMP Timber Flooring Adhesive. TFA X3 is a 3 in 1 product designed to control high RH, assist with acoustic abatement and bond most types of timber floorcoverings to most common interior subfloors.



07 3347 7300

www.rlapolymers.com.au

Polymer engineering

Formulated with NEW Adhesive Technology



RECYCLED MATERIALS
USED IN OUR PAILS
AND RECYCLABLE LIDS



BACK TO FUTURE THE

AVAILABLE
EXCLUSIVELY AT:



FLOORCOVERINGS



Find your local MJS retailer visit
mjsfloorcoverings.com.au or

Adhesives for all types
of floor coverings

Call 07 3347 7300

Roberts

R100 CARPET ADHESIVE

A water-based carpet adhesive providing a strong tacky film of adhesive that is suitable for bonding carpets both Double Bond and Direct Stick installations. The adhesive offers a quick grab and has sufficient working time for smaller and larger installations.



R656 PRESSURE SENSITIVE ADHESIVE

A solvent free pressure sensitive adhesive formulated for installing PVC backed, fibre backed, cushion back carpet tiles and reinforced VCT. For installing laminated slab underlays used in Double-Bond carpet installation, R656 can be applied to concrete substrates with moisture contents up to 95% RH (moisture reducing) tested with the In-Situ Probe method and concrete substrates with pH readings of up to 12.0.



R200 UNIVERSAL VINYL ADHESIVE

A solvent free, low odour, low VOC water based acrylic emulsion with excellent plasticiser resistance and non staining properties. It is protected against bio-degradation, withstands normal wet cleaning practices and is suitable for use over underfloor heating installations.



R444 PRESSURE SENSITIVE ADHESIVE

Roberts 444 Pressure Sensitive Adhesive is a solvent free pressure sensitive adhesive formulated for installing PVC backed and modified composite backed Carpet Tiles. Roberts 444 Pressure Sensitive Adhesive can be applied to concrete substrates with moisture contents up to 95% relative humidity tested with way of In-Situ Probe method and concrete substrates with pH readings of up to 12.0.



R2000 UNIVERSAL FLOORING ADHESIVE

Roberts 2000 is an acrylic co-polymer hard set adhesive with strong initial tack qualities and bond for a range PVC vinyl and textile floorcoverings. It has excellent plasticiser resistance and non staining properties. It is for interior use only and is protected against bio-degradation, withstands normal wet cleaning practices and is suitable for use over underfloor heating installations.



R280 HT VINYL ADHESIVE

A high temperature hard set adhesive with a short open time & excellent adhesion. It is fibre-reinforced and highly shear-resistant with excellent plasticiser migration resistance, non staining properties and provides resistance to temperature variations. It is protected against bio-degradation, withstands normal wet cleaning practices and is suitable for use over underfloor heating installations.



R640 PRESSURE SENSITIVE ADHESIVE

Solvent free pressure sensitive adhesive formulated for installing cushion back carpet tiles and reinforced vinyl composition tiles. It can also be applied for the installing double bond carpet underlays and other various Carpet tiles. R640 can be applied to concrete substrates with moisture contents up to 95% RH and concrete substrates with pH readings of up to 12.0.




R420 MEDI-SEAL

A solvent free, low odour, antimicrobial, low VOC water-based water based modified acrylic compound. It has a blue milky appearance and is used for sealing concrete and other cementitious substrates. This cures to form a clear and impervious film. Displays excellent long term resistance to urine, water, blood and most other common chemicals. Ideal for sealing concrete floors in hospital, health care and age care facilities.



The GreenTag PHD™ APPROVED

Increased GBCA Building Points, the industries most comprehensive certification audit process



Available now through your local Roberts Distributor
Australian Flooring Supplies, Aussie Floors WA and Stewarts Wholesales ballarat

The GreenTag PHD™ provides a full transparency report for industry specifiers and buyers of each product's materials ingredients and their hazards.



RLA Polymers

RLA CARPET ADHESIVE

RLA Carpet Adhesive is solvent free, low odour, water-based carpet adhesive providing a strong tacky film of adhesive that is suitable for bonding carpets both Double Bond and Direct Stick installations. The adhesive offers a quick grab and has sufficient working time for smaller and larger installations.



RLA CARPET TILE PRESSURE SENSITIVE ADHESIVE

RLA Carpet Tile Pressure Sensitive Adhesive is a solvent free pressure sensitive adhesive formulated for installing PVC backed and modified composite backed carpet tiles. RLA Carpet Tile Pressure Sensitive Adhesive can be applied to concrete substrates with moisture contents up to 85% relative humidity tested with the In-Situ Probe method.



RLA VINYL PLANK ADHESIVE

RLA Vinyl Plank adhesive is a solvent free, low odour, low VOC, hard set adhesive suitable for bonding most PVC commercial and domestic vinyl sheeting products, vinyl composite tiles, PVC vinyl tiles and vinyl plank flooring. It has high initial grab and is ideal for bonding both supported and unsupported PVC vinyl.



RLA 999 UNIVERSAL PRESSURE SENSITIVE ADHESIVE

RLA 999 Pressure Universal Sensitive Adhesive is a solvent free, low odour, low VOC, pressure sensitive adhesive formulated for installing PVC backed, fibre backed, cushion back carpet tiles and reinforced vinyl composition tiles. It is also highly recommended for installing laminated slab underlays used in Double-Bond carpet installation. RLA 999 can be applied to concrete substrates with moisture contents up to 85% relative humidity tested with the In-Situ Probe method.



RLA 265 UNIVERSAL VINYL ADHESIVE

RLA 265 Universal Vinyl Adhesive is a water based acrylic emulsion hard set adhesive suitable for bonding most PVC commercial and domestic vinyl sheeting products, vinyl composite tiles, PVC vinyl tiles and vinyl plank flooring. It has high initial grab and is ideal for bonding both supported and unsupported PVC vinyl. It is protected against bio-degradation, withstands normal wet cleaning practices and is suitable for use over underfloor heating installations.



RL1000 SMP HYBRID RESILIENT FLOORING ADHESIVE

RL1000 Resilient Flooring Adhesive is a single-part, VOC compliant isocyanate free water resistant resilient flooring adhesive. It is recommended for use in wet areas for bonding approved vinyl, rubber and linoleum floorcoverings to most common internal and external subfloors. It is suitable for areas such as bay windows, glass shop fronts, and other areas that are exposed to sun light.



RLA UNIVERSAL RESILIENT ADHESIVE

RLA Universal Resilient Adhesive is a solvent free, low odour, low VOC, acrylic co-polymer hard set adhesive with strong initial tack qualities and bond for a range Commercial and Domestic PVC Sheet Vinyl, Wall Vinyl, PVC Vinyl Plank and Linoleum. It has excellent plasticiser resistance and non-staining properties. It is protected against bio-degradation, withstands normal wet cleaning practices and is suitable for use over underfloor heating installations.



MS TIMBER FLOORING ADHESIVE

Permanently flexible solvent and isocyanate free MS timber flooring adhesive. For bonding approved acoustic underlays to most common subfloors. Recommended for bonding solid timber flooring, Parquet flooring and engineered timber flooring to approved acoustic underlay as well as directly to most common subfloors.

